



Model 934-BM

End-of-Line Endurance Burning Flame Arrester

Certified to EN ISO 16852:2016, IMO MSC/Circ. 677 and 1009

BSBflamearrester.ie | BSBsystems.com

Visit our website for the most complete, up-to-date information

The BS&B FlameSaf® Model 934-BM end-of-line deflagration arrester was developed to prevent flame transmission caused by endurance burning or atmospheric deflagration.

Features

- Protection against atmospheric deflagration and endurance burning
- Endurance burning protection for hydrocarbons and alcohols up to and including explosion group IIB
- Type-approved in accordance with ATEX Directive 2014/34/EU and EN ISO 16852:2016
- Certified to IMO MSC/Circular 677 & 1009 (as amended by IMO MSC.1/Circular 1324 & 1325)
- Available in nominal sizes DN40 (1.5") to DN 80 (3")
- The standard design can be used for operating temperatures up to +60°C / 140°F

Protection

Gas/Air or Vapour/Air mixtures for hydrocarbons and alcohols for Explosion Groups up to and including IIB (MESG \geq 0.5 mm)

Flange Connection Type

EN or DIN: ISO 7005 - PN10

ANSI: ANSI B.16.5 - 150 RF

Please consult factory for other options

Materials of Construction			
	Carbon Steel	Stainless Steel	Other Materials on request
Metal Foil Element		✓	✓
Hood		✓	✓
Body	✓	✓	✓
Painting Optional			



Model 934-BM End-of-Line
Endurance Burning Flame Arrester

EC Type Examination	
Designation	934-BM 40 to 80
Protective System	Endurance Burning Flame Arrester all Explosion Groups including Ethanol up to and including IIB
Compliance with Guidelines	ATEX 2014/34/EU EN ISO 16852:2016 IMO MSC / Circ. 677 & 1009

Limerick, Ireland

T: +353 61 517000
F: +353 61 309689
E: info@bsbflamearrester.ie

Düsseldorf, Germany

T: +49 211 930550
F: +49 211 3982171
E: info@bsb systems.de

Houston, TX USA

T: +1 713 682 4515
F: +1 713 682 5992
E: sales@bsb systems.com

Seoul, Korea

T: +82 2 3782 4591
F: +82 2 3782 4555
E: sales@bsb systems.kr

Den Haag, Netherlands

T: +31 70 362 2136
F: +31 70 360 4724
E: info@bsb systems.nl

Manchester, UK

T: +44 0 161 955 4202
F: +44 0 161 870 1086
E: sales@bsb systems.co.uk

Shanghai, China

T: +86 21 6391 2299
F: +86 21 6391 2117
E: sales@bsb systems.com

Products, specifications and all data in this literature are subject to change without notice. Questions regarding product selection and specifications for specific applications should be directed to BS&B. All sales are subject to the BS&B companies' standard terms and conditions of sale. Nothing herein should be construed as a warranty of merchantability or fitness for a particular purpose.

