



Model 931-CA

Inline Deflagration Arrester

BSBflamearrester.ie | BSBsystems.com

Visit our website for the most complete, up-to-date information

BS&B FlameSaf® flame arresters embody superior design characteristics and are third-party tested to the latest standards in order to provide state of the art explosion protection. Utilizing the crimped metal flame arrester elements to extinguish the flame, FlameSaf flame arresters are widely used to protect tanks, piping and other systems against deflagrations and detonations. Consult your local BS&B representative or call us for consultation on your safety concerns.

Features

- In-line deflagration arrester
- Short term burning and endurance burning variations available
- EC prototype test certificate according to ATEX Directive 2014/34/EU and EN ISO 16852:2016
- Available in nom. diameter: DN50 (2") – DN200 (8")
- Simplified design minimizes the maintenance and spare parts requirements.

Protection

- Gas/air or vapour / air-mixtures for explosion groups up to and including IIA (NEC Group D)
- Suitable for endurance burning for explosion group IIA1

Flange Connection Type

- EN or DIN: ISO 7005-1
- JIS B 2220
- ASME B16.5



Model 931-CA Inline
Deflagration Arrester

Materials of Construction				
	Carbon Steel	Stainless Steel	Hastelloy	Others on request
Body	✓	✓		
Metal Foil Element		✓	✓	✓
Seal	NBR, FPM, EPDM, FEP			✓

Limerick, Ireland

T: +353 61 517000
F: +353 61 309689
E: info@bsbflamearrester.ie

Düsseldorf, Germany

T: +49 211 930550
F: +49 211 3982171
E: info@bsbsystems.de

Houston, TX USA

T: +1 713 682 4515
F: +1 713 682 5992
E: sales@bsbsystems.com

Seoul, Korea

T: +82 2 3782 4591
F: +82 2 3782 4555
E: sales@bsbsystems.kr

Den Haag, Netherlands

T: +31 70 362 2136
F: +31 70 360 4724
E: info@bsbsystems.nl

Manchester, UK

T: +44 0 161 955 4202
F: +44 0 161 870 1086
E: sales@bsb-systems.co.uk

Shanghai, China

T: +86 21 6391 2299
F: +86 21 6391 2117
E: sales@bsbsystems.com

Products, specifications and all data in this literature are subject to change without notice. Questions regarding product selection and specifications for specific applications should be directed to BS&B. All sales are subject to the BS&B companies' standard terms and conditions of sale. Nothing herein should be construed as a warranty of merchantability or fitness for a particular purpose.